D4	NICHQ Vanderbilt Assessment Scale—12/	ACHERI	ntormant						
Teacher's Name: Class Time:		Class Name/Period:							
Today's Date	: Child's Name:	Grade Level:							
<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the beginning of the school year. Please indicate the number of weeks or months you have been able to evaluate the behaviors:									
Symptom	lation based on a time when the child \square was on medication.	on 🗌 w Never	as not on medica Occasionally	Often	ot sure? Very Often				
	o give attention to details or makes careless mistakes in schoolwork	0	1	2	3				
	fficulty sustaining attention to tasks or activities	0	1	2	3				
	not seem to listen when spoken to directly	0	1	2	3				
4. Does 1	not follow through on instructions and fails to finish schoolwork ue to oppositional behavior or failure to understand)	0	1	2	3				
5. Has di	fficulty organizing tasks and activities	0	1	2	3				
	s, dislikes, or is reluctant to engage in tasks that require sustained l effort	0	1	2	3				
	things necessary for tasks or activities (school assignments, s, or books)	0	1	2	3				
8. Is easi	y distracted by extraneous stimuli	0	1	2	3				
9. Is forg	etful in daily activities	0	1	2	3				
10. Fidget	s with hands or feet or squirms in seat	0	1	2	3				
	seat in classroom or in other situations in which remaining is expected	0	1	2	3				
	about or climbs excessively in situations in which remaining is expected	0	1	2	3				
13. Has di	fficulty playing or engaging in leisure activities quietly	0	1	2	3				
14. Is "on	the go" or often acts as if "driven by a motor"	0	1	2	3				
15. Talks 6	excessively	0	1	2	3				
16. Blurts	out answers before questions have been completed	0	1	2	3				
17. Has di	fficulty waiting in line	0	1	2	3				
18. Interru	upts or intrudes on others (eg, butts into conversations/games)	0	1	2	3				
19. Loses	temper	0	1	2	3				
20. Active	ly defies or refuses to comply with adult's requests or rules	0	1	2	3				
21. Is ang	ry or resentful	0	1	2	3				
22. Is spite	eful and vindictive	0	1	2	3				
23. Bullies	s, threatens, or intimidates others	0	1	2	3				
24. Initiat	es physical fights	0	1	2	3				
25. Lies to	obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3				
26. Is phy:	sically cruel to people	0	1	2	3				
27. Has st	olen items of nontrivial value	0	1	2	3				
28. Delibe	rately destroys others' property	0	1	2	3				
29. Is fear	ful, anxious, or worried	0	1	2	3				
30. Is self-	conscious or easily embarrassed	0	1	2	3				
31. Is afra	id to try new things for fear of making mistakes	0	1	2	3				

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics







D4 NICHQ Vanderbilt Assessment Sc	ale—TEACH	IER Inform	ant, continue	d			
Teacher's Name: Class	Time:	Class Name/Period:					
Today's Date: Child's Name:							
Symptoms (continued)		Never	Occasionally	Often	Very Often		
32. Feels worthless or inferior		0	1	2	3		
33. Blames self for problems; feels guilty		0	1	2	3		
34. Feels lonely, unwanted, or unloved; complains that "no or	ne loves him or	her" 0	1	2	3		
35. Is sad, unhappy, or depressed		0	1	2	3		
				Somewha	t		
Performance		Above		of a			
Academic Performance	Excellent	Average	Average		Problemation		
36. Reading	1	2	3	4	5		
37. Mathematics	1	2	3	4	5		
38. Written expression	1	2	3	4	5		
				Somewhat	t		
Classroom Behavioral Performance	Excellent	Above Average	Average	of a	Problemation		
39. Relationship with peers	1	2	3	4	5		
40. Following directions	1	2	3	4	5		
41. Disrupting class	1	2	3	4	5		
42. Assignment completion	1	2	3	4	5		
43. Organizational skills	1	2	3	4	5		
Comments:							
Please return this form to:							
Mailing address:							
Fax number:							
For Office Use Only							
Total number of questions scored 2 or 3 in questions 1–9:							
Total number of questions scored 2 or 3 in questions 10–18:							
Total Symptom Score for questions 1–18:							
Total number of questions scored 2 or 3 in questions 19–28:							
Total number of questions scored 2 or 3 in questions 29–35:							
Total number of questions scored 4 or 5 in questions 36–43:							



Average Performance Score:_





Scoring Instructions for the NICHQ Vanderbilt Assessment Scales

These scales should NOT be used alone to make any diagnosis. You must take into consideration information from multiple sources. Scores of 2 or 3 on a single Symptom question reflect *often-occurring* behaviors. Scores of 4 or 5 on Performance questions reflect problems in performance.

The initial assessment scales, parent and teacher, have 2 components: symptom assessment and impairment in performance. On both the parent and teacher initial scales, the symptom assessment screens for symptoms that meet criteria for both inattentive (items 1–9) and hyperactive ADHD (items 10–18).

To meet *DSM-IV* criteria for the diagnosis, one must have at least 6 positive responses to either the inattentive 9 or hyperactive 9 core symptoms, or both. A positive response is a 2 or 3 (often, very often) (you could draw a line straight down the page and count the positive answers in each subsegment). There is a place to

record the number of positives in each subsegment, and a place for total score for the first 18 symptoms (just add them up).

The initial scales also have symptom screens for 3 other comorbidities—oppositional-defiant, conduct, and anxiety/depression. These are screened by the number of positive responses in each of the segments separated by the "squares." The specific item sets and numbers of positives required for each co-morbid symptom screen set are detailed below.

The second section of the scale has a set of performance measures, scored 1 to 5, with 4 and 5 being somewhat of a problem/problematic. To meet criteria for ADHD there must be at least one item of the Performance set in which the child scores a 4 or 5; ie, there must be impairment, not just symptoms to meet diagnostic criteria. The sheet has a place to record the number of positives (4s, 5s) and an Average Performance Score—add them up and divide by number of Performance criteria answered.

Parent Assessment Scale

Predominantly Inattentive subtype

- Must score a 2 or 3 on 6 out of 9 items on questions 1–9 AND
- Score a 4 or 5 on any of the Performance questions 48–55

Predominantly Hyperactive/Impulsive subtype

- Must score a 2 or 3 on 6 out of 9 items on questions 10–18 AND
- Score a 4 or 5 on any of the Performance questions 48–55

ADHD Combined Inattention/Hyperactivity

 Requires the above criteria on both inattention and hyperactivity/impulsivity

Oppositional-Defiant Disorder Screen

- Must score a 2 or 3 on 4 out of 8 behaviors on questions 19–26 AND
- Score a 4 or 5 on any of the Performance questions 48–55

Conduct Disorder Screen

- Must score a 2 or 3 on 3 out of 14 behaviors on questions 27–40 <u>AND</u>
- Score a 4 or 5 on any of the Performance questions 48–55

Anxiety/Depression Screen

- Must score a 2 or 3 on 3 out of 7 behaviors on questions 41–47
 AND
- Score a 4 or 5 on any of the Performance questions 48–55

Teacher Assessment Scale

Predominantly Inattentive subtype

- Must score a 2 or 3 on 6 out of 9 items on questions 1–9 <u>AND</u>
- Score a 4 or 5 on any of the Performance questions 36–43

Predominantly Hyperactive/Impulsive subtype

- Must score a 2 or 3 on 6 out of 9 items on questions 10–18 <u>AND</u>
- Score a 4 or 5 on any of the Performance questions 36–43

ADHD Combined Inattention/Hyperactivity

 Requires the above criteria on both inattention and hyperactivity/impulsivity

Oppositional-Defiant/Conduct Disorder Screen

- Must score a 2 or 3 on 3 out of 10 items on questions 19–28 AND
- Score a 4 or 5 on any of the Performance questions 36–43

Anxiety/Depression Screen

- Must score a 2 or 3 on 3 out of 7 items on questions 29–35 AND
- Score a 4 or 5 on any of the Performance questions 36–43

The parent and teacher follow-up scales have the first 18 core ADHD symptoms, not the co-morbid symptoms. The section segment has the same Performance items and impairment assessment as the initial scales, and then has a side-effect reporting scale that can be used to both assess and monitor the presence of adverse reactions to medications prescribed, if any.

Scoring the follow-up scales involves only calculating a total symptom score for items 1–18 that can be tracked over time, and

the average of the Performance items answered as measures of improvement over time with treatment.

Parent Assessment Follow-up

- Calculate Total Symptom Score for questions 1–18.
- Calculate <u>Average</u> Performance Score for questions 19–26.

Teacher Assessment Follow-up

- Calculate <u>Total</u> Symptom Score for questions 1–18.
- Calculate <u>Average</u> Performance Score for questions 19–26.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.





